

SLC22A7 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11997**Specification**

SLC22A7 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q5T048
Other Accession	NM_006672 , NP_006663
Reactivity	Human, Rat, Rabbit, Horse, Bovine
Predicted	Human, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	60kDa KDa

SLC22A7 antibody - N-terminal region - Additional Information

Alias Symbol **MGC24091, MGC45202, NLT, OAT2**
Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-SLC22A7 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


SLC22A7 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SLC22A7 antibody - N-terminal region - Protein Information**SLC22A7 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


SLC22A7 antibody - N-terminal region - Images



Rabbit Anti-SLC22A7 Antibody
Paraffin Embedded Tissue: Human Muscle
Cellular Data: Skeletal muscle cells
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-SLC22A7 Antibody Titration: 5.0µg/ml
Positive Control: Jurkat cell lysate
There is BioGPS gene expression data showing that SLC22A7 is expressed in Jurkat



Host: Rabbit
Target Name: SLC22A7
Sample Tissue: Jurkat
Lane A: Primary Antibody
Lane B: Primary Antibody + Blocking Peptide
Primary Antibody
Concentration: 2.5µg/ml
Peptide Concentration: 2.0µg/ml
Lysate Quantity: 25µg/lane
Gel Concentration: 12%
There is BioGPS gene expression data showing that SLC22A7 is expressed in Jurkat

SLC22A7 antibody - N-terminal region - References

Kimura,K., (2006) Genome Res. 16 (1), 55-65 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.