

Slc6a9 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12003**Specification**

Slc6a9 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	P28571-1
Other Accession	NM_008135 , NP_032161
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	70kDa KDa

Slc6a9 antibody - C-terminal region - Additional Information

Alias Symbol **Glyt-1, Glyt1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Slc6a9 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Slc6a9 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Slc6a9 antibody - C-terminal region - Protein Information**Slc6a9 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Slc6a9 antibody - C-terminal region - Images



WB Suggested Anti-Slc6a9 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Spleen