

ZNF670 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12033**Specification**

ZNF670 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9BS34
Other Accession	NM_033213 , NP_149990
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45kDa KDa

ZNF670 antibody - N-terminal region - Additional Information**Gene ID** 93474**Other Names**

Zinc finger protein 670, ZNF670

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-ZNF670 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF670 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF670 antibody - N-terminal region - Protein Information**Name** ZNF670**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF670 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF670 antibody - N-terminal region - Images



WB Suggested Anti-ZNF670 Antibody Titration: 1.25 μ g/ml

ELISA Titer: 1:312500

Positive Control: HepG2 cell lysate

ZNF670 antibody - N-terminal region - References

Ota, T., et al., (2004) Nat. Genet. 36(1), 40-45 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.