

ZNF561 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12034**Specification**

ZNF561 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8N587
Other Accession	NM_152289 , NP_689502
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human
Clonality	Rabbit
Calculated MW	Polyclonal 47kDa KDa

ZNF561 antibody - C-terminal region - Additional Information**Gene ID** 93134

Alias Symbol	MGC45408
Other Names	
Zinc finger protein 561, ZNF561	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF561 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF561 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF561 antibody - C-terminal region - Protein Information**Name** ZNF561**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF561 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF561 antibody - C-terminal region - Images



WB Suggested Anti-ZNF561 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:12500

Positive Control: 293T cell lysate

ZNF561 antibody - C-terminal region - References

Gerhard, D.S., Genome Res. 14(10B), 2121-2127 (2004) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.