

Aip antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12051**Specification**

Aip antibody - middle region - Product Information

Application	WB
Primary Accession	O08915
Other Accession	NM_016666 , NP_057875
Reactivity	Human, Mouse, Rat, Zebrafish, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Zebrafish, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	37kDa KDa

Aip antibody - middle region - Additional Information**Gene ID** 11632**Alias Symbol** AA408703, AW476050, Ara9, D19Bwg1412e, Fkbp16, Xap2**Other Names**

AH receptor-interacting protein, AIP, Aryl-hydrocarbon receptor-interacting protein, Aip

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Aip antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Aip antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Aip antibody - middle region - Protein Information**Name** Aip**Function**

May play a positive role in AHR-mediated (aromatic hydrocarbon receptor) signaling, possibly by influencing its receptivity for ligand and/or its nuclear targeting.

Cellular Location


Cytoplasm.

Aip antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Aip antibody - middle region - Images



WB Suggested Anti-Aip Antibody Titration: 0.2-1 μ g/ml
Positive Control: SP2/0 cell lysate