

TAL2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12075**Specification**

TAL2 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q16559
Other Accession	NM_005421 , NP_005412
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Zebrafish, Chicken, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	12kDa KDa

TAL2 antibody - N-terminal region - Additional Information**Gene ID** 6887**Other Names**

T-cell acute lymphocytic leukemia protein 2, TAL-2, Class A basic helix-loop-helix protein 19, bHLHa19, TAL2, BHLHA19

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TAL2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


TAL2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TAL2 antibody - N-terminal region - Protein Information**Name** TAL2**Synonyms** BHLHA19**TAL2 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TAL2 antibody - N-terminal region - Images



WB Suggested Anti-TAL2 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: Human brain

TAL2 antibody - N-terminal region - References

Humphray, S.J., (2004) Nature 429(6990), 369-374 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. Publications: Courtial, N. et al. The T-cell oncogene Tal2 is a target of PU.1 and upregulated during osteoclastogenesis. PLoS One 8, e76637 (2013). WB, Bovine, Guinea pig, Dog, Human, Rat, Horse, Zebrafish, Rabbit, Mouse 24086757