

GH1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12100**Specification**

GH1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A6NEF6
Other Accession	NM_022560 , NP_072054
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Goat, Sheep, Horse, Bovine
Predicted Host	Human, Rat, Pig, Horse, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 20kDa KDa

GH1 antibody - C-terminal region - Additional Information

Alias Symbol **GH, GH-N, GHN, IGHD1B, hGH-N**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-GH1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


GH1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

GH1 antibody - C-terminal region - Protein Information**GH1 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GH1 antibody - C-terminal region - Images



WB Suggested Anti-GH1 Antibody Titration: 1.0 µg/ml
Positive Control: THP-1 Whole Cell