

Dcaf11 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12135**Specification**

Dcaf11 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9EQQ2
Other Accession	NM_023311 , NP_075800
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Goat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rabbit, Zebrafish, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	62kDa KDa

Dcaf11 antibody - C-terminal region - Additional Information**Gene ID** 67180**Alias Symbol** 0710008A13Rik, C76035, D14Ucla1, Dacf11, GLO14, Wdr23**Other Names**

Protein YIPF5, YIP1 family member 5, YPT-interacting protein 1 A, Yipf5, Yip1a

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Dcaf11 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Dcaf11 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Dcaf11 antibody - C-terminal region - Protein Information**Name** Yipf5 {ECO:0000312|MGI:MGI:1914430}**Synonyms** Yip1a**Function**

Plays a role in transport between endoplasmic reticulum and Golgi. In pancreatic beta cells, required to transport proinsulin from endoplasmic reticulum into the Golgi.

Cellular Location

Golgi apparatus, cis-Golgi network membrane; Multi-pass membrane protein. Cytoplasmic vesicle, COPII-coated vesicle {ECO:0000250|UniProtKB:Q5XID0}. Endoplasmic reticulum membrane; Multi-pass membrane protein. Note=Enriched at the endoplasmic reticulum exit sites (PubMed:15254263). Incorporated into COPII coated vesicles (By similarity). {ECO:0000250|UniProtKB:Q5XID0, ECO:0000269|PubMed:15254263}


Tissue Location

Ubiquitously expressed.

Dcaf11 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Dcaf11 antibody - C-terminal region - Images

WB Suggested Anti-Dcaf11 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse pancreas