

GPR161 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12143**Specification**

GPR161 antibody - C-terminal region - Product Information

Application	WB, IHC
Primary Accession	Q5TGK2
Other Accession	NM_001267609 , CAI22622
Reactivity	Human, Mouse, Rat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	44kDa KDa

GPR161 antibody - C-terminal region - Additional Information

Alias Symbol **FLJ33952, RE2**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-GPR161 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


GPR161 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

GPR161 antibody - C-terminal region - Protein Information**GPR161 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GPR161 antibody - C-terminal region - Images



Human Muscle



WB Suggested Anti-GPR161 Antibody Titration: 5.0 μ g/ml
Positive Control: HepG2 cell lysate