

**Rffl antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI12202****Specification**

---

**Rffl antibody - N-terminal region - Product Information**

|                   |                                                             |
|-------------------|-------------------------------------------------------------|
| Application       | WB                                                          |
| Primary Accession | <a href="#">Q3TEV8</a>                                      |
| Other Accession   | <a href="#">NM_001164571</a> , <a href="#">NP_001158043</a> |
| Reactivity        | Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog   |
| Predicted         | Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog   |
| Host              | Rabbit                                                      |
| Clonality         | Polyclonal                                                  |
| Calculated MW     | 36kDa kDa                                                   |

**Rffl antibody - N-terminal region - Additional Information**

|              |                                                          |
|--------------|----------------------------------------------------------|
| Alias Symbol | 1700051E09Rik, 4930516L10Rik, BG080975, Carp2, MGC144763 |
|--------------|----------------------------------------------------------|

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-Rffl antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


**Precautions**

Rffl antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**Rffl antibody - N-terminal region - Protein Information****Rffl antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Rffl antibody - N-terminal region - Images**

WB Suggested Anti-Rffl Antibody Titration: 1.0 µg/ml  
Positive Control: Mouse Liver