

**LOC683844 antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI12225****Specification**

---

**LOC683844 antibody - N-terminal region - Product Information**

|                 |                                                             |
|-----------------|-------------------------------------------------------------|
| Application     | WB                                                          |
| Other Accession | <a href="#">XM_001067720</a> , <a href="#">XP_001067720</a> |
| Reactivity      | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig   |
| Predicted       | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig   |
| Host            | Rabbit                                                      |
| Clonality       | Polyclonal                                                  |
| Calculated MW   | 20kDa KDa                                                   |

**LOC683844 antibody - N-terminal region - Additional Information****Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-LOC683844 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


**Precautions**


LOC683844 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**LOC683844 antibody - N-terminal region - Protein Information****LOC683844 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**LOC683844 antibody - N-terminal region - Images**



60 kDa\_\_  
40 kDa\_\_  
29 kDa\_\_  
22 kDa\_\_  
10 kDa\_\_

WB Suggested Anti-LOC683844 Antibody Titration: 1.0 µg/ml  
Positive Control: Rat Liver