

HERC5 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12235**Specification**

HERC5 antibody - middle region - Product Information

Application	IHC, WB
Primary Accession	Q69G20
Other Accession	NM_016323 , NP_057407
Reactivity	Human, Rat, Rabbit, Pig, Horse, Bovine
Predicted	Human, Rabbit, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	117kDa KDa

HERC5 antibody - middle region - Additional Information

Alias Symbol **CEB1, CEBP1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-HERC5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


HERC5 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

HERC5 antibody - middle region - Protein Information**HERC5 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HERC5 antibody - middle region - Images

**Rabbit Anti-HERC5 Antibody**

Formalin Fixed Paraffin Embedded Tissue: Human Pineal Tissue Observed Staining: Cytoplasmic in cell bodies and processes of pinealocytes

Primary Antibody

Concentration: 1:100 Other Working Concentrations: 1/600


Secondary Antibody: Donkey anti-Rabbit-Cy3

Secondary Antibody

Concentration: 1:200

Magnification: 20X

Exposure Time: 0.5 - 2.0 sec



168 kDa
144 kDa
90 kDa
65 kDa
40 kDa

WB Suggested Anti-HERC5 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: HepG2 cell lysate

HERC5 antibody - middle region - References

Salon, C., (2007) Oncogene 26(48), 6927-6936 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.