

RNF121 antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # Al12246

Specification

RNF121 antibody - N-terminal region - Product Information

Application IHC, WB Primary Accession Q9H920

Other Accession NM 194453, NP 919435

Reactivity Human, Mouse, Rat, Rabbit, Zebrafish, Pig,

Horse, Bovine, Guinea Pig, Dog

Predicted Human, Mouse, Rat, Pig, Chicken, Horse,

Bovine, Guinea Pig, Dog

Host Rabbit
Clonality Polyclonal
Calculated MW 32kDa KDa

RNF121 antibody - N-terminal region - Additional Information

Gene ID 55298

Alias Symbol FLJ11099

Other Names

RING finger protein 121, RNF121

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-RNF121 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

RNF121 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RNF121 antibody - N-terminal region - Protein Information

Name RNF121

Function

E3 ubiquitin ligase which accepts ubiquitin and transfers it to substrates thereby promoting their degradation by the endoplasmic reticulum-associated degradation (ERAD) pathway which is a pathway involved in ubiquitin-dependent degradation of misfolded endoplasmic reticulum proteins (By similarity). May regulate the unfolded protein response to reduce endoplasmic reticulum stress (By similarity).

Cellular Location



Tel: 858.875.1900 Fax: 858.875.1999


Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:Q09251}; Multi-pass membrane protein

RNF121 antibody - N-terminal region - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

RNF121 antibody - N-terminal region - Images



Human Intestine



WB Suggested Anti-RNF121 Antibody Titration: 1.25µg/ml

Positive Control: HepG2 cell lysate

RNF121 is supported by BioGPS gene expression data to be expressed in HepG2