

March3 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12279**Specification**

March3 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8BRX9
Other Accession	NM_177115 , NP_796089
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	24kDa KDa

March3 antibody - C-terminal region - Additional Information**Gene ID** 320253**Alias Symbol** 6330411I15Rik, A530081L18Rik, AI843639, MARCH-III, MGC130167, MGC130168**Other Names**

E3 ubiquitin-protein ligase MARCH3, 6.3.2.-, Membrane-associated RING finger protein 3, Membrane-associated RING-CH protein III, MARCH-III, March3

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-March3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

March3 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

March3 antibody - C-terminal region - Protein Information**Name** Marchf3**Synonyms** March3**Function**

E3 ubiquitin-protein ligase which may be involved in endosomal trafficking. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfer the ubiquitin to targeted substrates.


Cellular Location

Cytoplasmic vesicle membrane; Multi-pass membrane protein. Early endosome membrane;
Multi-pass membrane protein

March3 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

March3 antibody - C-terminal region - Images

WB Suggested Anti-March3 Antibody Titration: 1.0 µg/ml

Positive Control: Mouse Kidney