

PAM antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12288**Specification**

PAM antibody - N-terminal region - Product Information

Application	WB
Primary Accession	A6NMR0
Other Accession	NM_000919 , NP_000910
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	108kDa KDa

PAM antibody - N-terminal region - Additional Information

Alias Symbol **PAL, PHM**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-PAM antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PAM antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PAM antibody - N-terminal region - Protein Information**PAM antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PAM antibody - N-terminal region - Images



WB Suggested Anti-PAM Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:62500

Positive Control: 721_B cell lysate

PAM antibody - N-terminal region - References

Olsen, J.V., (2006) Cell 127(3), 635-648 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.