

**TMEM176A antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI12291****Specification**

---

**TMEM176A antibody - N-terminal region - Product Information**

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">Q96HP8</a>                                |
| Other Accession   | <a href="#">NM_018487</a> , <a href="#">NP_060957</a> |
| Reactivity        | Human                                                 |
| Predicted         | Human                                                 |
| Host              | Rabbit                                                |
| Clonality         | Polyclonal                                            |
| Calculated MW     | 26kDa KDa                                             |

**TMEM176A antibody - N-terminal region - Additional Information****Gene ID** 55365**Alias Symbol** **GS188, HCA112****Other Names**

Transmembrane protein 176A, Hepatocellular carcinoma-associated antigen 112, TMEM176A, HCA112

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-TMEM176A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

TMEM176A antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**TMEM176A antibody - N-terminal region - Protein Information****Name** TMEM176A**Synonyms** HCA112**Cellular Location**


Membrane; Multi-pass membrane protein

**TMEM176A antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**TMEM176A antibody - N-terminal region - Images**



WB Suggested Anti-TMEM176A Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: THP-1 cell lysate