

PEMT antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12294**Specification**

PEMT antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9BW86
Other Accession	NM_148172 , NP_680477
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26kDa KDa

PEMT antibody - C-terminal region - Additional Information

Alias Symbol **MGC2483, PEAMT, PEMPT, PEMT2, PNMT**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-PEMT antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PEMT antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PEMT antibody - C-terminal region - Protein Information**PEMT antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


PEMT antibody - C-terminal region - Images



WB Suggested Anti-PEMT Antibody Titration: 0.2-1 μ g/ml
Positive Control: 721_B cell lysate



Lanes: Lane1: 20 ug rat liver lysate
Primary Antibody Dilution: 1:1000
Secondary Antibody: Anti-rabbit HRP
Secondary Antibody Dilution: 1:15000
Gene Name: PEMT
Submitted by: Anonymous



Lanes: Lane1: 20 ug rat liver lysate
Primary Antibody Dilution: 1:2000

Secondary Antibody: Anti-rabbit HRP
Secondary Antibody Dilution: 1:15000
Gene Name: PEMT
Submitted by: Anonymous