

SLC45A2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12320**Specification**

SLC45A2 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q6P2P0
Other Accession	NM_001012509 , NP_001012527
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	51kDa KDa

SLC45A2 antibody - C-terminal region - Additional Information

Alias Symbol **1A1, AIM1, MATP, SHEP5**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SLC45A2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SLC45A2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SLC45A2 antibody - C-terminal region - Protein Information**SLC45A2 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


SLC45A2 antibody - C-terminal region - Images




WB Suggested Anti-SLC45A2 Antibody Titration: 0.2-1 µg/ml
Positive Control: Jurkat cell lysate



Host: Rabbit
Target Name: SLC45A2
Sample Tissue: Human Fetal Lung
Antibody Dilution: 1.0µg/ml



Host: Rabbit
Target Name: SLC45A2
Sample Tissue: Human Fetal Liver
Antibody Dilution: 1.0µg/ml

SLC45A2

Host: Rabbit

Target Name: SLC45A2

Sample Tissue: Human Adult Placenta

Antibody Dilution: 1.0µg/ml

SLC45A2 antibody - C-terminal region - References

Hutton, S.M. (et al). Invest. Dermatol. (2008) In press Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.