

SLC35E2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12384**Specification**

SLC35E2 antibody - middle region - Product Information

Application	WB
Primary Accession	Q5CZA4-3
Other Accession	NM_182838 , NP_878258
Reactivity	Human, Rabbit, Horse
Predicted	Rabbit, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	29kDa KDa

SLC35E2 antibody - middle region - Additional Information

Alias Symbol	DKFZp686M0869, FLJ34996, FLJ44537, KIAA0447, MGC104754, MGC117254, MGC126715, MGC138494
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SLC35E2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SLC35E2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

SLC35E2 antibody - middle region - Protein Information**SLC35E2 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SLC35E2 antibody - middle region - Images



WB Suggested Anti-SLC35E2 Antibody Titration: 0.2-1 μ g/ml
ELISA Titer: 1:1562500
Positive Control: COLO205 cell lysate