

POR antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12409**Specification**

POR antibody - N-terminal region - Product Information

Application	WB, IHC
Primary Accession	Q63HL4
Other Accession	NM_000941 , NP_000932
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Zebrafish, Chicken, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	77kDa KDa

POR antibody - N-terminal region - Additional Information

Alias Symbol	CPR, CYPOR, DKFZp686G04235, FLJ26468, P450R
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-POR antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

POR antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


POR antibody - N-terminal region - Protein Information**POR antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

POR antibody - N-terminal region - Images

Human Muscle



WB Suggested Antibody Titration: 2.5 µg/ml
Positive Control: 293T

POR antibody - N-terminal region - References

Gomes, L.G., (et al). Clin. Endocrinol. Metab. (2008) In press. Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.