

Fmo3 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12423**Specification**

Fmo3 antibody - middle region - Product Information

Application	WB
Primary Accession	Q8VHG0
Other Accession	NM_008030 , NP_032056
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	60kDa kDa

Fmo3 antibody - middle region - Additional Information**Gene ID** 226564**Alias Symbol** **AW111792****Other Names**

Dimethylaniline monooxygenase [N-oxide-forming] 4, 1.14.13.8, Dimethylaniline oxidase 4, Hepatic flavin-containing monooxygenase 4, FMO 4, Fmo4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Fmo3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Fmo3 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Fmo3 antibody - middle region - Protein Information**Name** Fmo4**Function**

This protein is involved in the oxidative metabolism of a variety of xenobiotics such as drugs and pesticides.

Cellular LocationMicrosome membrane {ECO:0000250|UniProtKB:Q8K4B7}; Single-pass membrane protein.
Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:Q8K4B7}; Single-pass membrane


protein

Fmo3 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Fmo3 antibody - middle region - Images



WB Suggested Anti-Fmo3 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Heart