

Eda Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12438**Specification**

Eda Antibody - C-terminal region - Product Information

Application	WB
Other Accession	XM_002727575 , XP_002727621
Reactivity	Human, Mouse, Rat, Rabbit, Goat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Goat, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

Eda Antibody - C-terminal region - Additional Information

Alias Symbol **RGD1563178**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Eda antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Eda Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Eda Antibody - C-terminal region - Protein Information**Eda Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Eda Antibody - C-terminal region - Images



Host: Rabbit
Target Name: Eda
Sample Tissue: Rat Stomach lysates
Antibody Dilution: 1.0µg/ml