

**SPOCK3 antibody - middle region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI12523****Specification**

---

**SPOCK3 antibody - middle region - Product Information**

|                   |                                                             |
|-------------------|-------------------------------------------------------------|
| Application       | WB                                                          |
| Primary Accession | <a href="#">B3KR67</a>                                      |
| Other Accession   | <a href="#">NM_001040159</a> , <a href="#">NP_001035249</a> |
| Reactivity        | Human, Mouse, Rat, Rabbit, Guinea Pig, Dog                  |
| Predicted         | Human, Mouse, Rat, Rabbit, Pig, Chicken, Guinea Pig, Dog    |
| Host              | Rabbit                                                      |
| Clonality         | Polyclonal                                                  |
| Calculated MW     | 49kDa KDa                                                   |

**SPOCK3 antibody - middle region - Additional Information**

Alias Symbol **HSAJ1454, TES-3, TICN3**

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-SPOCK3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**


SPOCK3 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

**SPOCK3 antibody - middle region - Protein Information****SPOCK3 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**SPOCK3 antibody - middle region - Images**



WB Suggested Anti-SPOCK3 Antibody Titration: 0.2-1  $\mu$ g/ml

ELISA Titer: 1:62500

Positive Control: Human Placenta

### **SPOCK3 antibody - middle region - References**

Clark, H.F., (2003) Genome Res. 13(10), 2265-2270. Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. Publications: Lutter, S., Xie, S., Tatin, F. & Makinen, T. Smooth muscle-endothelial cell communication activates Reelin signaling and regulates lymphatic vessel formation. J. Cell Biol. 197, 837-49 (2012). WB, Human, Dog, Rat, Guinea pig, Mouse, Rabbit 22665518