

FAM55D antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12535**Specification**

FAM55D antibody - C-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q6UWF7
Other Accession	NM_001077639 , NP_001071107
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Mouse, Rabbit, Pig, Horse, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 60kDa KDa

FAM55D antibody - C-terminal region - Additional Information**Gene ID** 54827**Alias Symbol** C11orf33, FLJ20127, FAM55D**Other Names**

NXPE family member 4, Protein FAM55D, NXPE4, C11orf33, FAM55D

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-FAM55D antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

FAM55D antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

FAM55D antibody - C-terminal region - Protein Information**Name** NXPE4**Synonyms** C11orf33, FAM55D**Cellular Location**


Secreted.

FAM55D antibody - C-terminal region - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FAM55D antibody - C-terminal region - Images



Human kidney



WB Suggested Anti-FAM55D Antibody Titration: 5.0µg/ml
Positive Control: Jurkat cell lysate