

NR1I3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12594**Specification**

NR1I3 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q5VTW5
Other Accession	NM_005122 , NP_005113
Reactivity	Human, Mouse, Rat, Pig, Bovine, Guinea Pig, Dog
Predicted Host	Human, Mouse, Rat, Guinea Pig, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 39kDa KDa

NR1I3 antibody - N-terminal region - Additional Information

Alias Symbol	CAR, CAR1, MB67, MGC150433, MGC97144, MGC97209
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-NR1I3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


NR1I3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NR1I3 antibody - N-terminal region - Protein Information**NR1I3 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NR1I3 antibody - N-terminal region - Images



Human Liver



WB Suggested Anti-NR1I3 Antibody Titration: 1.25µg/ml

Positive Control: Human Liver

NR1I3 antibody - N-terminal region - References

Ferguson, S.S., (2005) Mol. Pharmacol. 68(3), 747-757
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.