

USP16 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12621**Specification**

USP16 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q5VKN8
Other Accession	NM_001001992 , AAR13293
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Mouse, Rabbit, Guinea Pig, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 44kDa KDa

USP16 antibody - N-terminal region - Additional Information

Alias Symbol **UBP-M**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-USP16 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


USP16 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

USP16 antibody - N-terminal region - Protein Information**USP16 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

USP16 antibody - N-terminal region - Images




Sample Type : Human brain stem cells (NT2)

Primary Antibody Dilution : 1:500

Secondary Antibody : Goat anti-rabbit Alexa Fluor 594 Secondary Antibody Dilution : 1:1000

Color/Signal Descriptions : Red: USP16 Blue: DAPI

Gene Name : USP16 Submitted by : Dr. Yuzhi Chen, University of Arkansas for Medical Science



WB Suggested Anti-USP16 Antibody Titration: 2.5µg/ml

Positive Control: HepG2 cell lysate