

RTN4 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12715**Specification**

RTN4 antibody - middle region - Product Information

Application	WB
Primary Accession	Q7L7Q5
Other Accession	NM_007008 , NP_008939
Reactivity	Human, Mouse, Rat, Rabbit, Sheep, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Sheep, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22kDa KDa

RTN4 antibody - middle region - Additional Information

Alias Symbol	ASY, NI220/250, NOGO, NOGO-A, NOGOC, NSP, NSP-CL, Nbla00271, Nbla10545, Nogo-B, Nogo-C, RTN-X, RTN4-A, RTN4-B1, RTN4-B2, RTN4-C
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RTN4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

RTN4 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.


RTN4 antibody - middle region - Protein Information**RTN4 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

RTN4 antibody - middle region - Images



WB Suggested Anti-RTN4 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Human Muscle

RTN4 antibody - middle region - References

Hu, F. (2008) J. Neurosci. 28(5), 1262-1269 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.