

NRM antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12721**Specification**

NRM antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8IXM6
Other Accession	NM_007243 , NP_009174
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	29kDa kDa

NRM antibody - N-terminal region - Additional Information**Gene ID** 11270**Alias Symbol** NRM29**Other Names**

Nurim, Nuclear envelope membrane protein, Nuclear rim protein, NRM, NRM29

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NRM antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

NRM antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NRM antibody - N-terminal region - Protein Information**Name** NRM**Synonyms** NRM29**Cellular Location**


Nucleus inner membrane; Multi-pass membrane protein

NRM antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NRM antibody - N-terminal region - Images



WB Suggested Anti-NRM Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: Human Small Intestine

NRM antibody - N-terminal region - References

Shiina, T., (2006) Genetics 173(3), 1555-1570. Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.