

NRG1 Antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12732**Specification**

NRG1 Antibody - middle region - Product Information

Application	WB
Primary Accession	Q15491
Other Accession	NM_013959 , NP_039253
Reactivity	Human, Bovine, Guinea Pig
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32kDa KDa

NRG1 Antibody - middle region - Additional Information

Alias Symbol	ARIA, GGF, GGF2, HGL, HRG, HRG1, HRGA, NDF, SMDF, MST131
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NRG1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


NRG1 Antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

NRG1 Antibody - middle region - Protein Information**NRG1 Antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NRG1 Antibody - middle region - Images



NRG1 (neuregulin 1) Antibody (against the middle region of NRG1) (50ug) validated by WB using Jurkat cell lysate at 0.2-1 µg/ml.

NRG1 Antibody - middle region - References

Masuda, K., PLoS Med. 5(5), E94 (2008) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.