

SDF4 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12763**Specification**

SDF4 antibody - middle region - Product Information

Application	WB
Primary Accession	B1AME6
Other Accession	NM_016547 , NP_057631
Reactivity	Human, Mouse, Rat, Zebrafish, Goat, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Pig, Horse, Guinea Pig, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 39kDa KDa

SDF4 antibody - middle region - Additional Information

Alias Symbol **Cab45, RP5-902P8.6, SDF-4**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SDF4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SDF4 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

SDF4 antibody - middle region - Protein Information**SDF4 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SDF4 antibody - middle region - Images



WB Suggested Anti-SDF4 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: Human Small Intestine

SDF4 antibody - middle region - References

Lam, P.P., (2007) Mol. Biol. Cell 18(7), 2473-2480 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.