

DUXA antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12802**Specification**

DUXA antibody - middle region - Product Information

Application	WB
Primary Accession	A6NLW8
Other Accession	NM_001012729 , NP_001012747
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	24kDa KDa

DUXA antibody - middle region - Additional Information**Gene ID** 503835**Other Names**

Double homeobox protein A, DUXA

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-DUXA antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

DUXA antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

DUXA antibody - middle region - Protein Information**Name** DUXA ([HGNC:32179](#))**Function**

Transcription factor that acts as a repressor.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00108}.

Tissue Location


Expressed in embryonic stem cells.

DUXA antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DUXA antibody - middle region - Images



WB Suggested Anti-DUXA Antibody Titration: 0.2-1 μ g/ml

Positive Control: Human Stomach

DUXA antibody - middle region - References

Booth, H.A. Gene 387(1-2), 7-14 (2007) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.