

BSX Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12844**Specification**

BSX Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q3C1V8
Other Accession	NM_001098169 , NP_001091639
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	25kDa KDa

BSX Antibody - C-terminal region - Additional Information**Gene ID** 390259

Alias Symbol	BSX1
Other Names	
Brain-specific homeobox protein homolog, BSX, BSX1	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-BSX antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

BSX Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

BSX Antibody - C-terminal region - Protein Information**Name** BSX**Synonyms** BSX1**Function**

DNA binding protein that function as transcriptional activator. Is essential for normal postnatal growth and nursing. Is an essential factor for neuronal neuropeptide Y and agouti-related peptide function and locomotory behavior in the control of energy balance (By similarity).

Cellular Location


Nucleus {ECO:0000250|UniProtKB:Q810B3}.

BSX Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BSX Antibody - C-terminal region - Images



Host: Rabbit
Target Name: BSX
Sample Tissue: Placenta lysates
Antibody Dilution: 1.0µg/ml