

GSTA5 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12983**Specification**

GSTA5 antibody - middle region - Product Information

Application	WB
Primary Accession	Q7RTV2
Other Accession	NM_153699 , NP_714543
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Sheep, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Rat, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 26kDa KDa

GSTA5 antibody - middle region - Additional Information**Gene ID** 221357**Other Names**

Glutathione S-transferase A5, 2.5.1.18, GST class-alpha member 5, Glutathione S-transferase A5-5, GSTA5

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-GSTA5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

GSTA5 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

GSTA5 antibody - middle region - Protein Information**Name** GSTA5**Cellular Location**

Cytoplasm.

Tissue Location


Expression not detected.

GSTA5 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GSTA5 antibody - middle region - Images



WB Suggested Anti-GSTA5 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Hela cell lysate

GSTA5 antibody - middle region - References

Mungall A.J., et al. Nature 425:805-811(2003).
Morel F., et al. Pharmacogenetics 12:277-286(2002).
Singh S.P., et al. Biochim. Biophys. Acta 1800:16-22(2010).