

LOC650515 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13012**Specification**

LOC650515 antibody - C-terminal region - Product Information

Application	WB
Other Accession	XM_939607 , XP_944700
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

LOC650515 antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-LOC650515 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


LOC650515 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

LOC650515 antibody - C-terminal region - Protein Information**LOC650515 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LOC650515 antibody - C-terminal region - Images



WB Suggested Anti-LOC650515 Antibody Titration: 0.2-1 μ g/ml
Positive Control: 721_B cell lysate