

HLA-F antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13020**Specification**

HLA-F antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q5JQI8
Other Accession	NM_001098479 , NP_001091949
Reactivity	Human, Pig
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	48kDa KDa

HLA-F antibody - N-terminal region - Additional Information

Alias Symbol **CDA12, HLA-5.4, HLA-CDA12, HLA-F**
Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-HLA-F antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


HLA-F antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

HLA-F antibody - N-terminal region - Protein Information**HLA-F antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


HLA-F antibody - N-terminal region - Images



90 kDa
65 kDa
40 kDa
31 kDa
22 kDa

WB Suggested Anti-HLA-F Antibody Titration: 0.2-1 μ g/ml
Positive Control: HepG2 cell lysate

HLA-F



90
65
40
29
22

Rabbit Anti-HLA-F
Sample Type: Human Fetal Lung
Antibody Concentration: 1 μ g/mL

Host:Rabbit
Target Name:HLA-F
Sample Tissue:Human Fetal Lung
Antibody Dilution: 1.0 μ g/ml