

UGT1A7 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13023**Specification**

UGT1A7 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q5DSZ7
Other Accession	NM_019077 , NP_061950
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57kDa KDa

UGT1A7 antibody - N-terminal region - Additional Information

Alias Symbol	UDPGT, UGT1G, UGT-1G, UGT1.7, UGT1-07, UDPGT 1-7
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-UGT1A7 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


UGT1A7 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

UGT1A7 antibody - N-terminal region - Protein Information**UGT1A7 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

UGT1A7 antibody - N-terminal region - Images



Rabbit Anti-UGT1A7 Antibody

Catalog Number: AI13023

Formalin Fixed Paraffin Embedded Tissue: Human Adult Liver Observed Staining: Cytoplasm in hepatocytes, strong signal, wide tissue distribution

Primary Antibody

Concentration: 1:100

Secondary Antibody: Donkey anti-Rabbit-Cy3


Secondary Antibody

Concentration: 1:200

Magnification: 20X

Exposure Time: 0.5 – 2.0 sec

Protocol located in Reviews and Data.



WB Suggested Anti-UGT1A7 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:2500

Positive Control: 721_B cell lysate

There is BioGPS gene expression data showing that UGT1A7 is expressed in 721_B