

Fibcd1 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13136**Specification**

Fibcd1 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A2AV25
Other Accession	BAC39169
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	30kDa KDa

Fibcd1 Antibody - C-terminal region - Additional Information**Gene ID** 98970

Alias Symbol	RP23-65P13.6, AI448887
Other Names	
Fibrinogen C domain-containing protein 1, Fibcd1	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Fibcd1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Fibcd1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Fibcd1 Antibody - C-terminal region - Protein Information**Name** Fibcd1**Function**

Acetyl group-binding receptor which shows a high-affinity and calcium-dependent binding to acetylated structures such as chitin, some N-acetylated carbohydrates, and amino acids, but not to their non- acetylated counterparts. Can facilitate the endocytosis of acetylated components (By similarity).

Cellular Location


Membrane; Single-pass type II membrane protein

Fibcd1 Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Fibcd1 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: Fibcd1
Sample Tissue: Mouse Lung lysates
Antibody Dilution: 1.0µg/ml