

**Zik1 antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI13166****Specification**

---

**Zik1 antibody - C-terminal region - Product Information**

|                   |                                                                |
|-------------------|----------------------------------------------------------------|
| Application       | WB                                                             |
| Primary Accession | <a href="#">Q80YP6</a>                                         |
| Other Accession   | <a href="#">NM_009577</a> , <a href="#">NP_033603</a>          |
| Reactivity        | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog |
| Predicted Host    | Human, Mouse                                                   |
| Clonality         | Rabbit                                                         |
| Calculated MW     | Polyclonal<br>53kDa KDa                                        |

**Zik1 antibody - C-terminal region - Additional Information****Gene ID** 22775**Other Names**

Zinc finger protein interacting with ribonucleoprotein K, Zik1

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-Zik1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

Zik1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**Zik1 antibody - C-terminal region - Protein Information****Name** Zik1**Function**

May be a transcriptional repressor.

**Cellular Location**

Nucleus.

**Tissue Location**


Expressed in ovary and liver, and at lower levels in brain and muscle.

## Zik1 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Zik1 antibody - C-terminal region - Images



WB Suggested Anti-Zik1 Antibody Titration: 1.0 µg/ml  
Positive Control: Mouse Kidney

## Zik1 antibody - C-terminal region - References

Denisenko O.N., et al. J. Biol. Chem. 271:27701-27706(1996).  
Carninci P., et al. Science 309:1559-1563(2005).