

ZNF816A antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13171**Specification**

ZNF816A antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q0VGE8
Other Accession	NM_001031665 , NP_001026835
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	76kDa KDa

ZNF816A antibody - N-terminal region - Additional Information**Gene ID** 125893

Alias Symbol	MGC125619, ZNF816A
Other Names	
Zinc finger protein 816, ZNF816, ZNF816A	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF816A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF816A antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF816A antibody - N-terminal region - Protein Information**Name** ZNF816**Synonyms** ZNF816A**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF816A antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF816A antibody - N-terminal region - Images



WB Suggested Anti-ZNF816A Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: HT1080 cell lysate

ZNF816A antibody - N-terminal region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).

Grimwood J., et al. Nature 428:529-535(2004).

Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.

Bechtel S., et al. BMC Genomics 8:399-399(2007).