

ZNF226 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13172**Specification**

ZNF226 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q9NYT6
Other Accession	NM_001032372 , NP_001027544
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Horse, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 92kDa KDa

ZNF226 antibody - C-terminal region - Additional Information**Gene ID** 7769**Other Names**

Zinc finger protein 226, ZNF226

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF226 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF226 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF226 antibody - C-terminal region - Protein Information**Name** ZNF226**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF226 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF226 antibody - C-terminal region - Images



WB Suggested Anti-ZNF226 Antibody Titration: 0.2-1 µg/ml
Positive Control: 721_B cell lysate

ZNF226 antibody - C-terminal region - References

Shannon M., et al. Genome Res. 13:1097-1110(2003).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Grimwood J., et al. Nature 428:529-535(2004).
Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.