

ZNF705D antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13175**Specification**

ZNF705D antibody - middle region - Product Information

Application	WB
Primary Accession	A8MUZ8
Other Accession	NM_001039615 , NP_001034704
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

ZNF705D antibody - middle region - Additional Information**Gene ID** 100131980**Alias Symbol** **ZNF705C****Other Names**

Putative zinc finger protein 705G, ZNF705G

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF705D antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF705D antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF705D antibody - middle region - Protein Information**Name** ZNF705G**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF705D antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF705D antibody - middle region - Images



WB Suggested Anti-ZNF705D Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: Transfected 293T

ZNF705D antibody - middle region - References

Nusbaum C., et al. Nature 439:331-335(2006).