

NRIP2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13206**Specification**

NRIP2 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	A2RRE3
Other Accession	NM_031474 , NP_113662
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rabbit, Pig, Horse, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 31kDa KDa

NRIP2 antibody - N-terminal region - Additional Information

Alias Symbol **DKFZP761G1913**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NRIP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


NRIP2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NRIP2 antibody - N-terminal region - Protein Information**NRIP2 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NRIP2 antibody - N-terminal region - Images



WB Suggested Anti-NRIP2 Antibody Titration: 0.2-1 μ g/ml
Positive Control: Human brain