

LOC645504 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13265**Specification**

LOC645504 antibody - C-terminal region - Product Information

Application	WB
Other Accession	XM_928527 , XP_933620
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Goat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Goat, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	12kDa KDa

LOC645504 antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-LOC645504 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

LOC645504 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

LOC645504 antibody - C-terminal region - Protein Information**LOC645504 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LOC645504 antibody - C-terminal region - Images



WB Suggested Anti-LOC645504 Antibody Titration: 1.0 µg/ml
Positive Control: 293T Whole Cell