

SETD3 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13287**Specification**

SETD3 antibody - middle region - Product Information

Application	WB
Primary Accession	A0PJU3
Other Accession	NM_199123 , NP_954574
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34kDa KDa

SETD3 antibody - middle region - Additional Information

Alias Symbol	C14orf154, DKFZp761E1415, FLJ23027, MGC87236
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SETD3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SETD3 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

SETD3 antibody - middle region - Protein Information**SETD3 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SETD3 antibody - middle region - Images



WB Suggested Anti-SETD3 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: Jurkat cell lysate