

NTRK2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13295**Specification**

NTRK2 antibody - C-terminal region - Product Information

Application	IF, WB
Primary Accession	O8WXJ5
Other Accession	NM_001018065 , NP_001018075
Reactivity	Human, Rat, Rabbit, Horse, Bovine
Predicted	Human, Rabbit, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57kDa KDa

NTRK2 antibody - C-terminal region - Additional Information

Alias Symbol **GP145-TrkB, TRKB, trk-B**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NTRK2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


NTRK2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NTRK2 antibody - C-terminal region - Protein Information**NTRK2 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NTRK2 antibody - C-terminal region - Images



Mouse brain



WB Suggested Anti-NTRK2 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: Human heart