

GP1BA antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13296**Specification**

GP1BA antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A5CKE2
Other Accession	NM_000173 , NP_000164
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Dog
Predicted	Human, Mouse, Rabbit, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	68kDa KDa

GP1BA antibody - C-terminal region - Additional Information

Alias Symbol	BSS, CD42B, CD42b-alpha, GP1B, MGC34595, VWDP, GPIbA, BDPLT1, BDPLT3, DBPLT3
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-GP1BA antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


GP1BA antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

GP1BA antibody - C-terminal region - Protein Information**GP1BA antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GP1BA antibody - C-terminal region - Images



WB Suggested Anti-GP1BA Antibody Titration: 0.2-1 μ g/ml
Positive Control: Jurkat cell lysate