

Zfp664 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13315**Specification**

Zfp664 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q4VA44
Other Accession	NM_001081750 , NP_001075219
Reactivity	Human, Mouse, Rat, Pig, Bovine, Guinea Pig, Dog
Predicted Host	Mouse
Clonality	Rabbit
Calculated MW	Polyclonal 30kDa KDa

Zfp664 antibody - C-terminal region - Additional Information**Gene ID** 269704**Alias Symbol** **AW060232, D930038J03Rik, ZFOC1, Znf664**
Other Names
Zinc finger protein 664, Znf664, Zfp664**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Zfp664 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Zfp664 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Zfp664 antibody - C-terminal region - Protein Information**Name** Znf664**Synonyms** Zfp664**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

Zfp664 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Zfp664 antibody - C-terminal region - Images



WB Suggested Anti-Zfp664 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Kidney