

DBT Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13352**Specification**

DBT Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q5VVL7
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

DBT Antibody - N-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-DBT antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

DBT Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

DBT Antibody - N-terminal region - Protein Information**DBT Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DBT Antibody - N-terminal region - Images



90 kDa__
65 kDa__
40 kDa__
29 kDa__
22 kDa__

Host: Rabbit
Target Name: DBT
Sample Tissue: Fetal Kidney lysates
Antibody Dilution: 1.0 μ g/ml