

CTTN antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13360**Specification**

CTTN antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q8N707
Other Accession	NM_005231 , NP_005222
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61kDa KDa

CTTN antibody - N-terminal region - Additional Information

Alias Symbol **EMS1, FLJ34459**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-CTTN antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


CTTN antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CTTN antibody - N-terminal region - Protein Information**CTTN antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CTTN antibody - N-terminal region - Images



CTTN antibody - N-terminal region (AI13360)

Catalog Number: AI13360

Formalin Fixed Paraffin Embedded Tissue: Human Bronchial Epithelial Tissue Observed Staining:
Cytoplasm and membrane of bronchial epithelial tissue

Primary Antibody

Concentration: 1:600


Secondary Antibody: Donkey anti-Rabbit-Cy3

Secondary Antibody

Concentration: 1:200

Magnification: 20X

Exposure Time: 0.5 - 2.0 sec



WB Suggested Anti-CTTN Antibody Titration: 0.2-1 μ g/ml

Positive Control: Human brain