

C14orf148 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13442**Specification**

C14orf148 antibody - middle region - Product Information

Application	WB
Primary Accession	Q6NXP6
Other Accession	NM_001113475 , NP_001106946
Reactivity	Human, Mouse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Pig, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

C14orf148 antibody - middle region - Additional Information**Gene ID** 122945**Alias Symbol** **FLJ32809, C14orf148****Other Names**

NADP-dependent oxidoreductase domain-containing protein 1, 1.-.-., Pyrroline-5-carboxylate reductase-like protein C14orf148, NOXRED1, C14orf148

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-C14orf148 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

C14orf148 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

C14orf148 antibody - middle region - Protein Information**Name** NOXRED1**Synonyms** C14orf148**Function**


Probable oxidoreductase.

C14orf148 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

C14orf148 antibody - middle region - Images



WB Suggested Anti-C14orf148 Antibody Titration: 0.2-1 μ g/ml
Positive Control: HT1080 cell lysate

C14orf148 antibody - middle region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Heilig R., et al. Nature 421:601-607(2003).
Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.